


## **OUR MISSION**

Here at HEVI-Shot®, we started out looking to create products that performed better than steel, and in the process gave birth to pellet and shotshell technologies that were more effective than traditional ammunition. For everything from waterfowl and upland birds to turkeys and predators, they all share a common result: more effective shot on target with greater range and results. Thank you for insisting on better performance—thank you for shooting HEVI-Shot.




#### **HEVI-SHOT MERCHANDISE**

Tell the world what kind of hunter you are without saying a word. We now offer a wide selection of HEVI-Shot apparel and gear that looks as good as you shoot. Go to hevishot.com to start your order.











Pack in with HEVI-XII® and come out carrying extra weight. Loaded with our original 12 g/cc tungsten that's 53.8 percent denser than steel, these loads double the downrange energy, hitting birds harder from a longer distance. This means you can drop three shot sizes for the same lethality and still put 28 percent more pellets on target.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU	
12	2 3/4	4	1 1/8	1450	HS51314	
12	2 3/4	6	1 1/8	1450	HS51316	
12	3	2	1 1/8	1500	HS51302	
12	3	6	1 1/8	1500	HS51306	
12	3	4	1 1/4	1450	HS53304	
12	3	6	1 1/4	1450	HS53306	
12	3	2	1 3/8	1400	HS51202	
12	3	4	1 3/8	1400	HS51204	

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	3	6	1 3/8	1400	HS51206
20	3	6	1 1/4	1350	HS53206
20	3	4	1 1/4	1350	HS53204
28	3	4	1	1350	HS53284
28	3	6	1	1350	HS53286
		NEW FOR	2024		
.410	3	5	1/2	1250	HS54105
.410	3	7	1/2	1250	HS54107



SHOT DENSITY: 12 G/CC



## HEVI-BISMUTH





Step up your game when you get into the blind with ammunition that works as hard as you do. HEVI-Shot® HEVI-Bismuth™ is 22 percent denser than steel, which lets you drop a shot size from your go-to steel payload yet deliver the same duck-dropping lethality. Pushed at blistering velocities, the payloads provide performance that fills limits, and they're safe to shoot in modern and classic shotguns.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU	GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
10	3 1/2	1	1 3/4	1350	HS15501	16	2 3/4	2	1 1/8	1350	HS16702
10	3 1/2	2	1 3/4	1350	HS15502	16	2 3/4	4	1 1/8	1350	HS16704
10	3 1/2	4	1 3/4	1350	HS15504	16	2 3/4	6	1 1/8	1350	HS16706
12	3	W 19 5	1 3/8	1450	HS14001	20	3	2	1 1/8	1400	HS17002
12	3	2	1 3/8	1450	HS14002	20	3	4	1 1/8	1400	HS17004
12	3	4	1 3/8	1450	HS14004	20	3	6	1 1/8	1400	HS17006
12	3	6	1 3/8	1450	HS14006	28	2 3/4	4	3/4	1350	HS18704
12	3 1/2	- 1	1 1/2	1500	HS14501	28	2 3/4	6	3/4	1350	HS18706
12	3 1/2	2	1 1/2	1500	HS14502	28	3	4	1	1350	HS18434
12	3 1/2	4	1 1/2	1500	HS14504	28	3	6	1	1350	HS18436
12	2 3/4	2	1 1/4	1450	HS14702	.410	3	4	9/16	1300	HS19004
12	2 3/4	4	1 1/4	1450	HS14704	.410	3	6	9/16	1300	HS19006
12	2 3/4	6	1 1/4	1450	HS14706	200				STATES	LUCK STORES

SHOT DENSITY: 9.6 G/CC





### ALL-SEASON RELIABILITY Dependable ignition

Dependable ignition Clean-burning propellant

# BISMUTH PELLETS HEVI-Bismuth is 100 percent nontoxic

6

# HEVI-METAL XTREME



The next evolution in waterfowl hunting is here. HEVI-Metal Xtreme™ uses Pattern Density Technology™ to devote 30 percent of the payload to 12 g/cc HEVI-XII® tungsten pellets and stack them over steel shot. The dense tungsten pellets are three shot sizes smaller than the steel to ensure both layers have equal downrange performance. The load features the FLITECONTROL FLEX® wad for consistent long-range patterns and is pushed at high velocities.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU	
12	3	4 & 1	1 1/4	1450	HS38122	
12	3	6 & 3	1 1/4	1450	HS38126	
20	3	4 & 1	1 1/16	1350	HS39202	
20	3	6 & 3	1 1/16	1350	HS39206	
		NEW FO	R 2024			
12	3	2 & BB	1 1/4	1450	HS38188	Ī



SHOT DENSITY: TUNGSTEN 12 G/CC LAYERED OVER STEEL 7.8 G/CC



## HEVI-METAL LONGER RANGE





Push duck and goose hunts farther. HEVI-Metal® Longer Range increases downrange power 16 percent, thanks to high-density HEVI-Bismuth™ alloy pellets layered over corrosion-resistant steel shot. Using our Pattern Density Technology™, 30 percent of the payload is HEVI-Bismuth, while 70 percent is steel. It all comes together for tighter patterns, longer range and cleaner kills.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	3	2	1 1/4	1500	HS38002
12	3	3	1 1/4	1500	HS38003
12	3	4	1 1/4	1500	HS38004
12	3	6	1 1/4	1500	HS38006
12	3	BBB	1 1/4	1500	HS38008
12	3	BB	1 1/4	1500	HS38088

		THE RESERVE OF THE PARTY OF THE			
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	3 1/2	2	1 1/2	1500	HS38502
12	3 1/2	4	1 1/2	1500	HS38504
12	3 1/2	BBB	1 1/2	1500	HS38508
12	3 1/2	BB	1 1/2	1500	HS38588
12	2 3/4	2	1 1/8	1500	HS38702
12	2 3/4	4	1 1/8	1500	HS38704
20	3	2	1	1350	HS39002
20	3	3	1	1350	HS39003
20	3	4	101	1350	HS39004

SHOT DENSITY: BISMUTH 9.6 G/CC LAYERED OVER STEEL 7.8 G/CC



# HEVI-HAMMER



Combine the power of bismuth with the economy of steel to take home more ducks and geese. We devote 15 percent of the HEVI-Hammer® payload to 9.6 g/cc HEVI-Bismuth™ pellets, which we layer over the remaining steel shot to extend effective range and tighten patterns.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	3 1/2	2	1 1/2	1500	HS28302
12	3 1/2	4	1 1/2	1500	HS28304
12	3 1/2	BB	1 1/2	1500	HS28388
12	3	2	1 1/4	1500	HS28002
12	3	3	1 1/4	1500	HS28003
12	3	4	1 1/4	1500	HS28004
20	3	2	119	1350	HS29002
20	3	3	10.1	1350	HS29003

SHOT DENSITY: BISMUTH 9.6 G/CC LAYERED OVER STEEL 7.8 G/CC



## HEVI-STEEL & HEVI-TEAL



Sometimes speed is everything. The first all-steel shotshells from HEVI-Shot®, HEVI-Steel and HEVI-Teal are pushed at higher velocities than competing loads. That speed boost delivers more energy downrange and makes it easier to connect for harder hits and more limits.

HEVI-STEEL AND								
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU			
12	2 3/4	2	1 1/8	1500	HS61222			
12	2 3/4	3	1 1/8	1500	HS61223			
12	2 3/4	4	1 1/8	1500	HS61224			
12	3	1	1 1/4	1500	HS60001			
12	3	2	1 1/4	1500	HS60002			
12	3	3	1 1/4	1500	HS60003			
12	3	4	1 1/4	1500	HS60004			
12	3	BB	1 1/4	1500	HS60088			
12	3	BBB	1 1/4	1500	HS60888			
12	3 1/2	1.5	1 3/8	1550	HS65001			
12	3 1/2	2	1 3/8	1550	HS65002			


HEVI-STEEL							
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU		
12	3 1/2	3	1 3/8	1550	HS65003		
12	3 1/2	4	1 3/8	1550	HS65004		
12	3 1/2	BB	1 3/8	1550	HS65088		
12	3 1/2	BBB	1 3/8	1550	HS65888		
20	3	Sales House	7/8	1400	HS62001		
20	3	2	7/8	1400	HS62002		
20	3	3	7/8	1400	HS62003		
28	2 3/4	4	5/8	1350	HS62804		

		HEVI-	<b>TEAL</b>	Harris St.	
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	2 3/4	6	1 1/8	1500	HS61226
12	3	6	1 1/4	1500	HS60006
20	3	6	7/8	1400	HS62006

**SHOT DENSITY: 7.8 G/CC** 











Never let a hung-up gobbler keep you from notching your tag. HEVI-18® TSS Turkey uses high-density 18 g/cc pellets and our friction-reducing spherical buffer to extend effective range beyond what's ever been possible. Pushed at high velocities, TSS pellets carry more energy farther downrange, allowing hunters to drop three shot sizes from their go-to lead payloads and get higher pellet counts and denser patterns.

		1000	CONTRACTOR OF THE		
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	2 3/4	9	1 1/4	1090	HS4109
12	3	7	2	1250	HS4007
12	3	9	2	1250	HS4009
12	3 1/2	7	2 1/4	1250	HS4507
12	3 1/2	9	2 1/4	1250	HS4509
20	2 3/4	9	1 1/4	1200	HS7109
20	3	Company Charge	1 1/2	1250	HS7007
20	3	9	1 1/2	1250	HS7009
28	3	7	1 1/4	1200	HS7287
28	3	9	1 1/4	1200	HS7289
.410	3	MONTH TO	13/16	1090	HS1007
.410	3	9	13/16	1090	HS1009

SHOT DENSITY: 18 G/CC









Mix it up to take more longbeards down. HEVI-Shot® Magnum Blend® combines No. 5, 6 and 7 shot cast from 12 g/cc tungsten. The heavy, high-density payloads offer as many as 448 pellets in a single 12-gauge 3-inch shell, and those shot carry far more energy than lead, extending effective range and improving pattern density. Ounce for ounce, dollar for dollar, this is the most lethal turkey load on the market.

			A CONTRACTOR OF THE PARTY OF TH		The second second second second
GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
10	3 1/2	5,6,7	2 3/8	1200	HS13567
12	3	5,6,7	2	1200	HS41255
12	3 1/2	5,6,7	2 1/4	1200	HS41205
20	3	5,6,7	1 1/4	1200	HS567
28	3	5,6,7	1 1 1 m	1300	HS28567



**SHOT DENSITY: 12 G/CC** 



ALL-SEASON RELIABILITY

Dependable ignition

Clean-burning propellant

TUNGSTEN PELLETS
12 g/cc HEVI-Shot®
tungsten

## **SMOKED WILD TURKEY TACOS** WITH JALAPENO LIME COLESLAW

This recipe is a take on the age-old classic stuffed with prosciutto and cheese. My mom used to make this dish and I loved it. I decided to add a rich Dijon cream sauce you'll adore!

#### RRINE

1 wild turkey breast 1 quart of cold water 1/4 cup salt 1/4 cup brown sugar

#### **DRY RUB**

1 bay leaf

1 tablespoon paprika 1 tablespoon kosher salt

2 teaspoons black pepper

2 teaspoons garlic powder

1 teaspoon Mexican oregano

(or substitute regular oregano) 1 teaspoon cumin

#### **TOPPINGS**

6 corn or flour tortillas 1 ½ cup queso fresco, crumbled Fresh cilantro Lime wedges

#### JALAPENO LIME COLESLAW

1 lb coleslaw

1/4 cup cilantro finely chopped

1/4 cup red onion, julienned

2 jalapeños, diced

1/4 cup mayonnaise

1 tablespoon apple cider vinegar Juice from 1 lime

2 teaspoons white sugar

1 teaspoon salt

1 teaspoon black pepper

½ teaspoon Mexican oregano (or substitute regular oregano)

½ teaspoon cumin

#### **OTHER** INGREDIENTS

1 tablespoon olive oil

2 tablespoons melted butter

#### RECIPE DIRECTIONS


- ★ Brine: In a large glass bowl, combine salt, brown sugar, the bay leaf and water. Submerge the turkey breast into the bowl. Refrigerate for 12 to 24 hours. Afterward, remove the breast and rinse with cold water. Pat dry the breast and let sit at room temperature for about 30 minutes.
- ★ Pre-heat your smoker to 225°F.
- ★ Combine the ingredients for the dry rub in a small dish. Rub into the wild turkey breast using olive oil.
- ★ Smoke the turkey until it reaches an internal temperature of 160°F, about 4 hours. At the halfway mark, place the breast in aluminum foil, add 2 tablespoons of butter, then wrap, leaving it slightly open at the top to vent. Pour in melted butter.
- ★ Combine the ingredients for the coleslaw while the turkey is smoking. Refrigerate for at least one hour
- ★ Once the wild turkey reaches an internal temperature of 160°F, remove from the smoker and aluminum foil and let rest for approximately 15 minutes. Then cut into bite sized pieces or shred with two forks.
- ★ Assemble the tacos taking a tortilla and adding coleslaw, wild turkey and queso fresco plus any other desired toppings.



#### JENN DANELLA

HEVI-Shot® ambassador Jenn Danella was introduced to hunting at a young age by her father—and she still remembers their first fishing trip. She eventually started hunting on her own and with friends in high school, and soon after, hunting, fishing, and cooking became her full-time passions.


Purchase a copy of Danella's cookbook at Amazon, Walmart, Target and Barnes & Noble.







## HEVI BISMUTH





Even the odds against pheasants, grouse and other hard-flushing upland birds. HEVI-Bismuth™ Upland payloads are 22 percent denser than steel to deliver more pellets on target and maximum knockdown power. They meet nontoxic requirements and are safe for fixed-choke barrels and modern shotguns.

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	2 3/4	5	1 1/4	1400	HS14715
12	2 3/4	3	1 1/4	1400	HS14713
16	2 3/4	5	1 1/8	1325	HS16715
16	2 3/4	3	1 1/8	1325	HS16713
20	2 3/4	5	1200	1300	HS17715
20	2 3/4	3	1 0	1300	HS17713
28	2 3/4	5	3/4	1300	HS18715
28	2 3/4	3	3/4	1300	HS18713
28	3	5	ALT - 1-	1325	HS18735
28	3	3	1 1	1325	HS18733
.410	3	5	9/16	1300	HS19715



**SHOT DENSITY: 9.6 G/CC** 



ALL-SEASON RELIABILITY
Dependable ignition

Dependable ignition Clean-burning propellant BISMUTH PELLETS 100 percent nontoxic HEVI-Bismuth



Put more birds in your vest with the power and patterns of HEVI-Hammer® Upland. We devote 15 percent of the payload to high-density HEVI-Bismuth™, and layer those pellets over precision steel shot. The bismuth packs nearly 39 percent more power than steel at 40 yards, which means you can drop a shot size from your go-to steel load.

#### **HEVI-HAMMER UPLAND**

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	2 3/4	5	1 1/4	1350	HS29105
12	2 3/4	3	1 1/4	1350	HS29103
12	3	5	1 1/8	1350	HS29125
12	3	3	1 3/8	1350	HS29113
20	2 3/4	5	7/8	1325	HS29205
20	2 3/4	3	7/8	1325	HS29203
20	3	5	7/8	1325	HS29225
20	3	3	1	1325	HS29213

SHOT DENSITY: BISMUTH 9.6 G/OC LAYERED OVER STEEL 7.8 G/OC





When a dove races across a field or a covey of quail erupts at your feet, speed matters. That's why we push HEVI-Steel Upland faster than competing steel loads. The velocity boost makes it easier to connect on hard-flying birds and delivers more energy on impact. Aided by our best-in-class wad and precision manufacturing techniques, HEVI-Steel Upland hits hard every time.

#### **HEVI-STEEL UPLAND**

GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
		NEW FO	R 2024		
12	2 3/4	7.	des Book	1350	HS61227
12	2 3/4	6		1350	HS61266


**SHOT DENSITY: 7.8 G/CC** 











GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKUO
12	3	00B	1 3/8	1350	HS42213
12	3	Talle	1 1/2	1300	HS43030
12	3 1/2	CALLEST PROPERTY.	1 5/8	1350	HS43035

**SHOT DENSITY: 12 G/CC** 



#### **ALL-SEASON RELIABILITY**

Dependable ignition Clean-burning propellant

#### **TUNGSTEN PELLETS**

Frangible 12 g/cc tungsten

#### BUFFER & SEALANT

Special crimp seal keeps spherical buffer inside the hull

22

